



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/762,443	01/21/2004	Scott J. Daly	KLR 7146.0181	5174
55648	7590	11/20/2007		
KEVIN L. RUSSELL CHERNOFF, VILHAUER, MCCLUNG & STENZEL LLP 1600 ODS TOWER 601 SW SECOND AVENUE PORTLAND, OR 97204			EXAMINER TSAI, TSUNG YIN	
			ART UNIT 2624	PAPER NUMBER
			MAIL DATE 11/20/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	Application No. 10/762,443	Applicant(s) DALY ET AL.	
	Examiner Tsung-Yin Tsai	Art Unit 2624	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

### Period for Reply

**A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.**

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 26 October 2007.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,5-12,15-20,22,24,26-30,32 and 33 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,5-12,15-20 and 22 is/are rejected.
- 7) ☒ Claim(s) 24,26-30,32 and 33 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 1/21/2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAIL ACTION**

Acknowledge of amendment received on 10/26/2007 and made of record.

Acknowledge of amendment to claims 1, 24 and 30.

Acknowledge of canceling claims 2-4, 13-14, 21, 23, 25-26, 31 and 34-60.

### ***Response to Arguments***

**Applicant's argument** – "Summary of Invention" is not required and would like the Examiner to withdraw the objection.

**Examiner's response** – Objection withdrawn.

### ***Claim Rejections – 35 USC 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 10-12 and 15-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al (US Patent Number 5,012,333) in view of Komatsu (US Patent Number 5,247,588) and Dewaele (US Patent Number 5,986,279).

(1) Regarding claims 1, 10-12 and 15:

Lee et al teaches regarding the subject matter:

(amended) modifying said image (abstract discloses) **using a sieve filter performing a summation operation** (figure 7 part 310 and 350 discloses a summation operation of the input image data, column 11 lines 45-68 to column 12 lines 1-15 discloses summation function) **that replaces the value** (figure 7 discloses the where the function of summation, low-pass filter and dynamic range adjustment curves will result a RGB transformation, where the transformation is seen as value replacement) **of a target pixel** (figure 7 part 320 discloses a low-pass filter, where this filter targets pixel values that are not set within user's range) **with the value of a central pixel** (figure 6 discloses pivot point, this is seen as the central desire value) **in said summation operation** (figure 7 part 310 and 350 discloses a summation operation of the input image data, column 11 lines 45-68 to column 12 lines 1-15 discloses summation function) **when said target pixel** (figure 7 part 320 discloses a low-pass filter, where this filter targets pixel values that are not set within user's range) **differs** (figure 6 discloses pivot range, where this is the range to compare the difference) **from said central pixel** (figure 6 discloses pivot point, this is seen as the central desire value) **by a value larger than a threshold** (figure 7 part 320 discloses a low-pass filter, where the filter functions in comparing against an user set threshold value),

modifying image of interest depth in such a manner that the higher frequency content with respect to the lower frequency content of said image is attenuated (figure 3 discloses the steps of attenuation of the low frequencies), and attenuating the lower amplitude content of said higher frequency content with

respect to the higher amplitude content of said higher frequency content (figure 3 discloses the lower amplitude content of the higher frequency content from the result of summation of 110 which is further modify with edge sharpening and noise suppression curves), and modifying said modified image based upon said modified image and said lower frequency content of said image (figure 3 discloses the result of the overall process from the summation of 150 and to the output image), artifacts (column 6 lines 55-60 disclose ringing artifacts, column 11 lines 10-20 discloses compression resulting in possible artifacts) and filters (figure 3 disclose low pass filters, column 4 lines 10-15 discloses where the low pass filter image/pixels are subtracted from the original image creating the high pass filter image).

Lee et al does not teach regarding first and second bit depth, where their difference of the first bit depth is larger then the second bit depth, where there is can be physical bit depth changes that represent the image and sieve filters.

However, Komatsu teaches regarding different bit depths (column 4 lines 35-45 disclose bit depth such as 12 for the first and 8 as the second, and where the first is larger than second. In processing the picture frame data we do see size of bit depth change) and Dewaele teaches regarding filter is of sieve (column 8 lines 10-40 discloses sieve filtering).

It would have been obvious to one skill in the art at the time of the invention to employ Komatsu teachings to Lee et al regarding consideration of different bit depths. It is common that data storage, processing and display deal

with data in different bit depths. Consideration for these different will enable the hardware to be flexible to deal with different incoming and outgoing data that have different bit depths.

The motivation to combine regarding bit depth to image enhancement beside the compatibility issue can also be that the averaging processing of the process will improve the S/N ratio for the final process image (column 4 lines 55-60).

It would have been obvious to one skill in the art at the time of the invention to employ Dewaele teachings to Lee et al and Komatsu regarding sieve filters.

The motivation to combine regarding sieve filters give the advantages of obtaining geometrically correct images (column 2 lines 10-20) and achieving better signal to noise ratios (column 6 lines 60-65).

(2) Regarding claims 16-20:

Lee et al teaches regarding dynamic range adjustment system for digital images, where the adjustment controlled by a mapping curve, which the user can manipulate interactively (abstract). The user can select the parameters to achieve the desired effect with precise control help with a high-speed computer/workstation inputting parameter from a keyboard and a mouse (column 1 lines 49-60).

Lee et al does not disclose expressly regarding where there is not change in physical bit depth that represent of the image, where the matter to perform

image enhancement is free from conditional statement and additional noise.

Further, where the process may use buffer that is smaller than the processing image by 100 percent or 30 percent.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art not to further change the original signal data during image enhancement; alteration of the original physical bit depth/signal will add to the image and change the image output with undesirable artifact. However, the focus of image enhancement is really depending on the user. User's desired enhancement of the image as a whole, or just a part of the image, is dependent on the conditional statement/parameters that are input by the user. If the user desired no change than image processing with proceed free from conditional parameter inputs, but if the user desired enhancement of certain feature of the image then these parameter will be input by the user in ways of keyboard or mouse and the process carry out by the workstation. Depend on the parameter burden and the resources allocated by the user for the image processing the workstation will have limited buffer space free for processing of the image. Thus, depend on the user's parameter requirement, buffer space allocation of the workstation and the hardware limit of the buffer the workstation might process less than 100 percent of the incoming image or for a very burden workstation even less than 30 percent of the incoming data stream.

Applicant has not disclose that matter of not change in physical bit depth that represent of the image, where the matter to perform image enhancement is

free from conditional statement or noise, where the process may use buffer that is smaller than the processing image by 100 percent or 30 percent, provides an advantage, is use for a particular purpose or solve a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with Lee et al in the conditions stated above.

Therefore, it would have been obvious to combine to one of ordinary skill in this art to modify Lee et al with to obtain the invention as specified in claims 16-20.

3. Claims 5-9 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al (US Patent Number 5,012,333) in view of Komatsu (US Patent Number 5,247,588) as applied to claim 1 above, and further in view of Dischert et al (US Patent Number 4,571,511).

(1) Regarding claim 5:

Lee et al and Komatsu teaches regarding:

wherein said attenuating the lower amplitude content of said higher frequency content with respect to the higher amplitude content of said higher frequency content (figure 3 discloses the lower amplitude content of the higher frequency content from the result of summation of 110 which is further modify with edge sharpening and noise suppression curves).

Lee et al and Komatsu does not teach regarding a coring function.



However, Dischert et al teaches regarding coring function (abstract, column 2 lines 20-35).

It would have been obvious to one skill in the art at the time of the invention to employ Dischert et al teaches to Lee et al and Komatsu regarding coring method for image enhancement. Coring method for image processing is a common use for reducing noise in 2-D images. Coring passes the high spatial frequency components of a noisy image through a non-linear means.

The motivation to combine regarding coring function for further image enhancement processing such that it will further reduce noise in the image (abstract, column 2 lines 20-35).

(2) Regarding claims 6-9:

Lee et al and Komatsu teaches regarding the subject matter above.

Lee et al and Komatsu does not teach regarding hard-threshold and transitional coring function, first derivative and where the coring function includes no discontinuity in actual value.

However, Dischert et al teaches regarding hard-threshold (figure 1b-c) and transitional (figure 7a discloses a transitional, figure 7B disclose a alternative) coring function, first derivative (figure 1b-c disclose the result of first derivative at location  $V_{be}$ , figure 7) and where the coring function includes no discontinuity in actual value (figure 1b-c disclose continuation of actual values beyond that of  $V_{be}$ ).

It would have been obvious to one skill in the art at the time of the invention to employ Dischert et al teaching to Lee et al and Komatsu regarding hard-threshold and transitional coring function; such is the nature of the coring function.

The motivation regarding thresholds of the coring function is the nature of the coring function itself. Beside having just thresholds for reduction of noise for image enhancement (abstract, column 2 lines 20-35), this embodiment allows for coring of binary signals selects varying thresholds parameters (column 2 lines 40-45) for different setting depend on the user.

(3) Regarding claim 22:

Lee et al and Komatsu teaches reducing noise in regions not proximate say edge (Lee et al. figure 3 summation of original signal and low pass filter will reduce noise of the lower frequencies that are not at edge).

Lee et al and Komatsu does not teach regarding reducing noise in regions proximate edge of the signal.

However, Dischert teaches regarding reducing noise in regions proximate edge of the signal (abstract, column 2 lines 20-35 discloses coring function where noise reduction on the regions proximately over the edge of the signal).

It would have been obvious to one skill in the art at the time of the invention to employ Dischert et al teaches to Lee et al and Komatsu regarding coring method for image enhancement. Coring method for image processing is a

common use for reducing noise in 2-D images. Coring passes the high spatial frequency components of a noisy image through a non-linear means.

The motivation to combine regarding coring function for further image enhancement processing such that it will further reduce noise in the image (abstract, column 2 lines 20-35).

#### **Allowable Subject Matter**

4. Claims 24, 27-29, 30 and 32-33 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tsung-Yin Tsai whose telephone number is (571) 270-1671. The examiner can normally be reached on Monday - Friday 8 am - 5 pm ESP.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jingge Wu can be reached on (571)272-7429. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tsung-Yin Tsai  
November 15, 2007

  
JINGGE WU  
SUPERVISORY PATENT EXAMINER